



Table Base
CATALOG

September, 2014

SPECIAL 

About Us


Special-T is a manufacturer of tables and table bases. Our customers include office furniture dealers, table manufacturers and re-manufacturers. We are a wholly owned subsidiary of Global Resource Alliance, a family-owned business with half a century of experience in the office furnishings industry. We attribute our staying power and growth to the following:

- Alert, responsive customer service
- High quality products, low prices
- Debt-free, financially stable company



OUR CUSTOMER
SERVICE TEAM
IS WAITING FOR
YOUR CALL!

- Personal attention
- Honesty, integrity, follow-through
- We actually do what we promise



SAME DAY SHIPPING!

- 24-hour turn-around time
- You're never late on quick turnaround projects
- Over 300,000 bases in stock

Purpose Statement

Our goal is to develop long term, mutually beneficial relationships using the highest level of values, ethics and unique products. Let us help you by ...

- Putting profit back into your projects
- Solving problems with creative solutions
- Utilizing 'A' Grade tables and bases



MORE OPTIONS –
MORE CHOICES!

- Highest quality powder-coated finishes
- 20 standard industry colors available
- Polished chrome and Stainless Steel on some items
- Non-standard heights available

SPECIAL 

11820 WILLS ROAD, SUITE 140
ALPHARETTA, GA 30009
PHONE 888-705-0777 **FAX** 678-456-6046
WWW.SPECIALT.NET

Table of Contents

STAINLESS STEEL

Stainless Steel Round Base _____ 4

Stainless Steel Square Base _____ 5

Stainless Steel Bolt Down Leg _____ 6

Stainless Steel Post Leg _____ 7



CAST IRON

Cast Iron X and T Bases _____ 8

Cast Iron Round Base _____ 9



CONTEMPORARY

Curved U-Legs _____ 10


Dual Column Y-Legs _____ 11

Square End Base _____ 12

Square H-Legs _____ 13

Triangular Bases _____ 14

Drum Bases _____ 15



ARCHED

Arched Single Column T-Legs _____ 16

Arched Single Column C-Legs _____ 17


Arched Dual Column T-Legs _____ 18

Arched TU-Legs _____ 19

Double Arched TU-Legs _____ 20

Arched Single Column X-Bases _____ 21

Tripod Bases _____ 22









PHONE 888-705-0777

FAX 678-456-6046












ORDER ONLINE AT WWW.SPECIALT.NET

Table of Contents




POSTS

Single Column Post Legs	23	
1.5" Post Legs	24	
Tapered Post Legs	25	
Square Post Leg	26	
Reveal Legs	27	
Bolt Down Leg	28	

TRADITIONAL

Bolted Single Column T-Legs	29	
Welded Single Column T-Legs	30	
EZ Roll T-Leg	31	
Dual Column Legs	32	
Single Column C-Legs	33	
Dual Column C-Legs	34	
Dual Column H-Legs	35	
Single Column X-Bases	36	
Multi Column X-Bases	37	
4 and 5 Column X-Bases	38	
Round Base with Plate	39	

ADJUSTABLE HEIGHT

Spring Clip Height Adjustable Height Bases	40	
ValuLift Electric Base Set	41	
Matching Fixed Height Base	42	



PHONE 888-705-0777

FAX 678-456-6046




ORDER ONLINE AT WWW.SPECIALT.NET

Table of Contents








FOLDING AND FLIP TOP

Folding Legs	43	
Flip Top Legs	44	
“Quick-Flip” Flip Top Legs	45	

FLIP AND NEST

SlimFlip™ Base	46	
Convertible™ Base	47	
Transform-2™ Base	48	

ACCESSORIES

Workstation Shelf Riser	49	
Perforated Steel Modesty Panels	50	
Laminate Modesty Panels	51	
Accessories	52	
Casters & Glides	53	
Table Cart	54	
Table Tops 1-Day Quick Ship	55	

IMPORTANT INFORMATION	56
-----------------------	----

METAL FINISHES	Inside Back Cover
----------------	-------------------

Stainless Steel Round Base

SPECIAL 

DESCRIPTION

The stainless steel Round Base is composed of 304 grade stainless steel. The high quality, beautiful finish and style make this base perfect for office, restaurant and hospitality applications. Available in office and bar heights.



SSP450-RB




SSP720-RB

- UNIT HEIGHT: 27.75" and 40.75". SSP720-RB is available only in 27.75" height
- MOUNTING PLATE: 13.75" x 13.75" square pressed steel
- COLUMN: 3" diameter; 1.5 mm thick; 304 grade stainless steel
- FLOOR PLATE: 17-23/32" x 17-23/32", 22-27/32" x 22-27/32", 28-23/64" x 28-23/64"; cover plate is 1mm thick 304 grade sunray brushed stainless steel
- LEVELERS: 3/4" diameter plastic for leveling on uneven floors
- FINISH: brushed stainless steel
- METHOD OF ASSEMBLY: bolted construction
- PACKAGING: bases are packed in 3 boxes

OPTION

- SELF LEVELING GLIDES (SLG): see page 53 for more information. Add \$51 List

PART #	FLOOR PLATE DIAMETER	UNIT HEIGHT	RECOM. TOP SIZE	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
SSP450-RB	17-23/32"	27.75"	≤ 32" Rd. ≤ 28" Sq.	13.75" x 13.75"	34 lbs.	\$440
SSP450-RB-42	17-23/32"	40.75"	≤ 30" Rd. ≤ 24" Sq.	13.75" x 13.75"	36 lbs.	\$599
SSP580-RB	22-27/32"	27.75"	≤ 40" Rd. ≤ 36" Sq.	13.75" x 13.75"	70 lbs.	\$610
SSP580-RB-42	22-27/32"	40.75"	≤ 36" Rd. ≤ 32" Sq.	13.75" x 13.75"	72 lbs.	\$769
SSP720-RB	28-23/64"	27.75"	≤ 60" Rd. ≤ 54" Sq.	13.75" x 13.75"	82 lbs.	\$580
	3 columns					



PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Stainless Steel Square Base

DESCRIPTION

Classic design meets beautiful finish in this stainless steel table base. Our Square Base is composed of 304 grade stainless steel. It is perfect for architectural, office, restaurant and hospitality applications and available in office and bar heights.

- UNIT HEIGHT: 27.75" and 40.75"
- MOUNTING PLATE: 13.75" x 13.75" square pressed steel
- COLUMN: 3" diameter; 1.5 mm thick; 304 grade stainless steel
- FLOOR PLATE: 17-23/32" x 17-23/32", 22-27/32 x 22-27/32"; cover plate is 1mm thick 304 grade linear brushed stainless steel
- LEVELERS: 3/4" diameter plastic for leveling on uneven floors
- FINISH: brushed stainless steel
- METHOD OF ASSEMBLY: bolted construction
- PACKAGING: bases are packed in 3 boxes

OPTION

- SELF LEVELING GLIDES (SLG): see page 53 for more information. Add \$51 List



SSP450-SB



PART #	FLOOR PLATE	UNIT HEIGHT	RECOM. TOP SIZE	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
SSP450-SB	17-23/32"	27.75"	≤ 32" Rd. ≤ 28" Sq.	13.75" x 13.75"	39 lbs.	\$461
SSP450-SB-42	17-23/32"	40.75"	≤ 30" Rd. ≤ 24" Sq.	13.75 "x 13.75"	41 lbs.	\$620
SSP580-SB	22-27/32"	27.75"	≤ 40" Rd. ≤ 36" Sq.	13.75" x 13.75"	59 lbs.	\$631
SSP580-SB-42	22-27/32"	40.75"	≤ 36" Rd. ≤ 32" Sq.	13.75" x 13.75"	61 lbs.	\$790

Stainless Steel Bolt Down Leg

SPECIAL **T**

DESCRIPTION

This stylish yet heavy duty base provides form and function in bolt down applications. It is perfect for office or hospitality settings. The base bolts to the floor with 8" diameter cover plate and has 3" column diameter.



SSBD

- UNIT HEIGHT: 27.75" and 40.75"
- MOUNTING PLATE: 13.75" x 13.75" square pressed steel
- COLUMN: 3" diameter; 1.5 mm thick; 304 grade stainless steel
- FLOOR PLATE: 8" diameter; cover plate is 1mm thick 304 grade sunray brushed stainless steel
- FINISH: brushed stainless steel
- METHOD OF ASSEMBLY: bolted construction
- PACKAGING: bases are packed in 2 boxes

PART #	UNIT HEIGHT	COLUMN DIAMETER	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
SSBD	27.75"	3"	13.75" x 13.75"	16 lbs.	\$217
SSBD-42	40.75"	3"	13.75" x 13.75"	22 lbs.	\$376



PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Stainless Steel Post Leg

DESCRIPTION

Our Stainless Steel Post Leg is crafted from high quality stainless steel.

- UNIT HEIGHT: 27.75" and 40.75"
- MOUNTING PLATE: 5" x 5" 2.5 mm powder coated pressed milled steel
- COLUMN: 3" diameter; 1.5 mm thick; 304 grade stainless steel
- LEVELER: 3.25" x .75" black plastic with 1/2" of adjustment
- FINISH: brushed stainless steel
- METHOD OF ASSEMBLY: bolted construction
- PACKAGING: bases are packed 4 per box



SS29-3PL



PART #	UNIT HEIGHT	COLUMN DIAMETER	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
SS29-3PL	27.75"	3"	5 1/8" x 5 1/8"	6 lbs.	\$127
SS36-3PL	34.75"	3"	5 1/8" x 5 1/8"	7 lbs.	\$154
SS42-3PL	40.75"	3"	5 1/8" x 5 1/8"	8 lbs.	\$180

PHONE 888-705-0777
FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

STAINLESS STEEL

Cast Iron X and T Bases

SPECIAL **T**

DESCRIPTION

The cast iron X and T Bases are fabricated from a 14 gauge tubular steel column and a heavy duty cast iron floor base. Milled steel threaded rod and nut are used for assembly.

- UNIT HEIGHT: 27.75" and 40.75"
- WELDED MOUNTING PLATE: 9.5" x 9.5" 2.5 mm pressed milled steel
- COLUMN: 3" diameter
- LEVELERS: 1 1/8" diameter plastic for leveling on uneven floors
- FINISH: black sandtex
- METHOD OF ASSEMBLY: bolted construction
- PACKAGING: Floor Plate and column are packaged separately



WXL-2222-42
with Foot Ring



WXL-2222



WTL-24

OPTIONS

- FOOT RING: 16" diameter, 12" high foot ring is available for 40.75" high XL bases (Black Powder Coat)
- SELF LEVELING GLIDES (SLG): see page 53 for more information. Add \$51 List for WXL base and \$25 List for WTL base

PART #	BASE SPREAD	UNIT HEIGHT	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE
WXL-2222	22/22"	27.75"	≤ 30" Rd. or ≤ 24" Sq.	15 lbs.	\$90
WXL-2222-42	22/22"	40.75"	≤ 24" Rd. or ≤ 24" Sq.	19 lbs.	\$152
WXL-2230	22/30"	27.75"	24" x 36"	21 lbs.	\$101
WXL-2230-42	22/30"	40.75"	24" x 36"	25 lbs.	\$162
WXL-3030	30/30"	27.75"	≤ 36" Rd. or ≤ 36" Sq.	26 lbs.	\$112
WXL-3030-42	30/30"	40.75"	≤ 36" Rd. or ≤ 36" Sq.	29 lbs.	\$174
WXL-3333	33/33"	27.75"	≤ 42" Rd. or ≤ 36" Sq.	27 lbs.	\$135
WXL-3333-42	33/33"	40.75"	≤ 36" Rd. or ≤ 36" Sq.	31 lbs.	\$196
WTL-24	22"	27.75"	24" - 30"	13 lbs.	\$68
WTL-2442	22"	40.75"	24" - 30"	17 lbs.	\$129
FOOTRING-3		12"		6 lbs.	\$61



PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

The cast iron Round Base is composed of a column made from 14 gauge tubular steel and a heavy duty cast iron floor plate. Milled steel threaded rod and nut are used for assembly.

- UNIT HEIGHT: 27.75" and 40.75"
- WELDED MOUNTING PLATE: 9.5" x 9.5" 2.5 mm pressed milled steel
- LEVELERS: 1 1/8" diameter plastic for leveling on uneven floors
- FINISH: black sandtex
- METHOD OF ASSEMBLY: bolted construction
- PACKAGING: Floor Plate and column are packaged separately

OPTIONS

- FOOT RING: 16" diameter for 3" column, 19.5" diameter for 4" column, 12" high foot ring is available for 40.75" high bases (Black Powder Coat)
- SELF LEVELING GLIDES (SLG): see page 53 for more information. Add \$51 List



W24RB-42
with Foot Ring



W24RB



PART #	FLOOR PLATE	COLUMN DIAMETER	UNIT HEIGHT	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE
W18RB	18"	3"	27.75"	≤ 30" Rd. ≤ 24" Sq.	22 lbs.	\$112
W18RB-42	18"	3"	40.75"	≤ 26" Rd. ≤ 22" Sq.	26 lbs.	\$174
W24RB	24"	4"	27.75"	≤ 42" Rd. ≤ 36" Sq.	40 lbs.	\$180
W24RB-42	24"	4"	40.75"	≤ 36" Rd. ≤ 32" Sq.	45 lbs.	\$242
W30RB	30"	4"	27.75"	≤ 54" Rd. ≤ 48" Sq.	58 lbs.	\$253
W30RB-42	30"	4"	40.75"	≤ 48" Rd. ≤ 42" Sq.	62 lbs.	\$315
FOOTING			12"		6 lbs.	\$65

Curved U-Legs

SPECIAL **T**



UL-24
shown in Metallic Silver

DESCRIPTION

Fabricated 14 gauge 1.5" diameter tubular steel with threaded inserts for glides. Welded construction.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 5" x 8" x 7/32"
- GLIDES: 1 3/8" diameter nylon glide
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packed 2 per box



PART #	UNIT HEIGHT	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
UL-24	27.75"	22"	5" x 8"	24"-28"	8 lbs.	\$146
UL-30	27.75"	26"	5" x 8"	30"-36"	9 lbs.	\$157

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Fabricated 14 gauge 1.5" diameter tubular columns bent and welded together.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 5" x 8" x 7/32"
- BELL GLIDES: 2 3/8" diameter nylon glide in 2.5" high steel extender
- CASTERS: 3" skate wheel locking caster with black core. 112 lbs. loading capacity
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packed 2 per box



shown in Metallic Silver



YL-30



choose
between Skate Caster-SC
or Bell Glide options



YL-30-SC

PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
YL-24	23.5"	5" x 8"	24"-28"	11 lbs.	\$146
YL-24-SC	23.5"	5" x 8"	24"-28"	11 lbs.	\$146
YL-30	27.5"	5" x 8"	30"-36"	12 lbs.	\$157
YL-30-SC	27.5"	5" x 8"	30"-36"	12 lbs.	\$157

Square End Base

SPECIAL **T**

DESCRIPTION

Fabricated 14 gauge 2" x 1" tubular steel with threaded inserts for glides. Welded construction. Bases mount flush with table edge.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 4-3/4" x 3-1/2" x 7/32"
- GLIDES: 1 3/8" diameter nylon glide
- FINISH: stock color is Metallic Silver. See inside of Back Cover for optional colors
- PACKAGING: bases are packed 2 per box



RSSB-24



PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE
RSSB-24	24"	4-3/4" x 3-1/2"	24"	14 lbs.	\$194
RSSB-30	30"	4-3/4" x 3-1/2"	30"	15 lbs.	\$212

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Fabricated 14 gauge 2" x 1" tubular steel with threaded inserts for glides. Welded construction. Bases mount flush with table edge.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 4-3/4" x 3-1/2" x 7/32"
- GLIDES: 1 3/8" diameter nylon glide
- FINISH: stock color is Metallic Silver. See inside of Back Cover for optional colors
- PACKAGING: bases are packed 2 per box



RSHL-24



PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
RSHL-24	24"	4-3/4" x 3-1/2"	24"	14 lbs.	\$173
RSHL-30	30"	4-3/4" x 3-1/2"	30"	15 lbs.	\$194

Triangular Bases

SPECIAL **T**



TRI-8-18TRIP

TRI-8

TRI-842-18TRIP

DESCRIPTION

Fabricated 14 gauge tubular steel with welded cross members.

- UNIT HEIGHT: 27.75" and 40.75"
- MOUNTING PLATE: 4" x 4" 7/32"
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: Floor Plate and column are packaged separately



OPTIONS

- BALLAST: one or two 4 lbs. each. Ballasts can be mounted under a floor plate for more stability
- SELF LEVELING GLIDES (SLG): see page 53 for more information. Add \$51 List

PART #	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE
TRI-8	27.75"	2"	10"	4" x 4" triangle (3 pcs)	-	15 lbs.	\$265
TRI-8-42	40.75"	2"	10"	4" x 4" triangle (3 pcs)	-	20 lbs.	\$321
TRI-8-18TRIP Base with Floor Plate	27.75"	2"	18"	4" x 4" triangle (3 pcs)	max 30" square	27 lbs.	\$376
TRI-8-22TRIP Base with Floor Plate	27.75"	2"	22"	4" x 4" triangle (3 pcs)	max 36" square	33 lbs.	\$417
TRI-8-26TRIP Base with Floor Plate	27.75"	2"	26"	4" x 4" triangle (3 pcs)	max 48" square	46 lbs.	\$472
TRI-842-18TRIP Base with Floor Plate	40.75"	2"	18"	4" x 4" triangle (3 pcs)	max 30" square	32 lbs.	\$432
TRI-842-22TRIP Base with Floor Plate	40.75"	2"	22"	4" x 4" triangle (3 pcs)	max 36" square	38 lbs.	\$473
TRI-842-26TRIP Base with Floor Plate	40.75"	2"	26"	4" x 4" triangle (3 pcs)	max 48" square	53 lbs.	\$528
BALLAST						4 lbs.	\$35

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Perforated steel with welded mounting tabs and threaded steel inserts for levelers.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING TABS: 1.5" x 1" x 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packed 1 per box



DB-26

OPTION

- LAMINATE INSERT: add laminate insert for unique design detail. Specify -LI



PART #	UNIT HEIGHT	BASE DIAMETER	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE	PRICE WITH LAMINATE INSERT
DB-18	27.75"	18"	36"-42" round or conference table	19 lbs.	\$411	\$555
DB-22	27.75"	22"	42"-48" round or conference table	28 lbs.	\$451	\$598
DB-26	27.75"	26"	54"-60" round or conference table	30 lbs.	\$578	\$730

PHONE 888-705-0777
FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Arched Single Column T-Legs

SPECIAL 



DESCRIPTION

Our Arched T-legs are fabricated from the highest quality 14 gauge tubular steel. The column and arched foot are 2" in diameter. All threaded inserts are welded for maximum strength.

- UNIT HEIGHT: 27.75" and 40.75"
- WELDED MOUNTING PLATE: 5" x 8" x 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for additional powder coat colors
- PACKAGING: bases are packed 2 per box

OPTIONS

- CASTERS: 3" locking skate casters, each 112 lbs. capacity. Specify - SC. Add \$40 List
- ADJUSTABLE HEIGHT: see page 40 for more information. Add \$68 List
- FOLDING OPTION: see page 43 for more information. Add \$155 List

PART #	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE
1ATL-18	27.75"	2"	16"	5" x 8"	18"-22"	7 lbs.	\$105
1ATL-1842	40.75"	2"	16"	5" x 8"	18"-22"	9 lbs.	\$145
1ATL-24	27.75"	2"	22"	5" x 8"	24"-28"	7 lbs.	\$107
1ATL-2442	40.75"	2"	22"	5" x 8"	24"-28"	9 lbs.	\$147
1ATL-30	27.75"	2"	26"	5" x 8"	28"-30"	8 lbs.	\$109
1ATL-3042	40.75"	2"	26"	5" x 8"	28"-30"	10 lbs.	\$149

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

SPECIAL **T**

Arched Single Column C-Legs

DESCRIPTION

Our Arched C-legs are fabricated from highest quality 14 gauge tubular steel. The offset column and arched foot are 2" in diameter. All threaded inserts are welded for maximum strength.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 5" x 8" x 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for additional powder coat colors
- PACKAGING: bases are packaged 2 per box



1ACL-24



PART #	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
1ACL-24	27.75"	2"	22"	5" x 8"	24"-28"	7 lbs.	\$107
1ACL-30	27.75"	2"	26"	5" x 8"	28"-30"	8 lbs.	\$109

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

ARCHED

Arched Dual Column T-Legs

SPECIAL **T**



2ATL-24

2ATL-42



DESCRIPTION

This base is fabricated from highest quality 14 gauge tubular steel. The columns and arched foot are 2" in diameter. All threaded inserts are welded for maximum strength.

- UNIT HEIGHT: 27.75"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for additional powder coat colors
- PACKAGING: bases are packaged 2 per box

OPTION

- PERFORATED PANEL is available for additional charge with 2ATL-24 and 2ATL-30. Specify -PI-2ATL. Add \$59 List

PART #	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE
2ATL-24	27.75"	2"	22"	5" x 12"	24"-28"	11 lbs.	\$151
2ATL-30	27.75"	2"	26"	5" x 12"	30"-36"	12 lbs.	\$154
2ATL-42	27.75"	2"	36"	(2) 5" x 8" welded	42"-46"	13 lbs.	\$158
2ATL-48	27.75"	2"	42"	(2) 5" x 8" welded	46"-48"	14 lbs.	\$163

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET


DESCRIPTION

Fabricated 14 gauge steel 1.5" diameter columns and 1 3/8" diameter arched feet with threaded inserts for levelers. Welded construction.

- UNIT HEIGHT: 27.75"
- MOUNTING PLATES: 5" x 11" x 7/32" (ATUL-42 comes with two plates 6" x 6")
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box

OPTION

- PERFORATED PANEL is available for additional charge with ATUL-24 and ATUL-30. Specify -PI-TU. Add \$59 List



ATUL-42



ATUL-24-PL-TU



ATUL-30

shown with optional Perforated Panel



PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
ATUL-24	22"	5" x 11"	24"-28"	11 lbs.	\$186
ATUL-30	26"	5" x 11"	30"-36"	12 lbs.	\$207
ATUL-42	36"	(2) 6" x 6"	36"-42"	13 lbs.	\$236

Please note: this base may require longer lead time. Call Customer Service 888-705-0777 to check availability.

PHONE 888-705-0777
FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Double Arched TU-Legs

SPECIAL **T**

ARCHED



2ATUL-30-PI-TU
shown with optional
Perforated Panel

DESCRIPTION

Fabricated 14 gauge steel 1.5" diameter columns and 1 3/8" diameter arched feet with threaded inserts for levelers. Welded construction.

- UNIT HEIGHT: 27.75"
- MOUNTING PLATES: 5" x 11" x 7/32"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box

OPTION

- PERFORATED PANEL is available for additional charge with 2ATUL-24 and 2ATUL-30. Specify -PI-TU. Add \$59 List



2ATUL-30



2ATUL-24



PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
2ATUL-24	22"	5" x 11"	24"-28"	16 lbs.	\$207
2ATUL-30	26"	5" x 11"	30"-36"	19 lbs.	\$226

Please note: this base may require longer lead time.
Call Customer Service 888-705-0777 to check availability.

PHONE 888-705-0777
FAX 678-456-6046
ORDER ONLINE AT WWW.SPECIALT.NET

SPECIAL **T**

Arched Single Column X-Bases



1AXL-42

DESCRIPTION

Our Arched Legs are fabricated from highest quality 14 gauge tubular steel. The column is 3" and arched feet are 2" in diameter. Mounting plate and all threaded inserts are welded for maximum strength.

- UNIT HEIGHT: 27.75" and 40.75"
- WELDED MOUNTING PLATE: 8" x 8" x 7/32"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black and Chrome. See inside of Back Cover for additional powder coat colors
- PACKAGING: 2XL bases are packaged in 2 boxes; 3XL and 4XL bases are packaged in 3 and 4 boxes

OPTION

- CASTERS: 3" locking skate casters, each 112 lbs. capacity. Specify -SC. Add \$40 List
- FLIP TOP OPTION: see page 45 for more information. Add \$150 List
- SELF LEVELING GLIDES (SLG): see page 53 for more information. Add \$51 List
- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$40 List. Specify -CUT2 and height >27.75. Add \$85 List



PART #	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP SIZE	NET WEIGHT	LIST PRICE
Powder Coat Finish							
1AXL-30	27.75"	3"	26" x 26"	8" x 8"	30" - 36"	14 lbs.	\$191
1AXL-3042	40.75"	3"	26" x 26"	8" x 8"	30" - 36"	17 lbs.	\$251
1AXL-36	27.75"	3"	32" x 32"	8" x 8"	36" - 42"	16 lbs.	\$201
1AXL-3642	40.75"	3"	32" x 32"	8" x 8"	36" - 42"	19 lbs.	\$261
1AXL-42	27.75"	3"	38" x 38"	8" x 8"	42" - 48"	18 lbs.	\$215
1AXL-4242	40.75"	3"	38" x 38"	8" x 8"	42" - 48"	21 lbs.	\$275
Polished Chrome Finish							
1AXL-30PC	27.75"	3"	26" x 26"	8" x 8"	30" - 36"	14 lbs.	\$302
1AXL-3042PC	40.75"	3"	26" x 26"	8" x 8"	30" - 36"	17 lbs.	\$390
1AXL-36PC	27.75"	3"	32" x 32"	8" x 8"	36" - 42"	16 lbs.	\$313
1AXL-3642PC	40.75"	3"	32" x 32"	8" x 8"	36" - 42"	19 lbs.	\$401
1AXL-42PC	27.75"	3"	38" x 38"	8" x 8"	42" - 48"	18 lbs.	\$326
1AXL-4242PC	40.75"	3"	38" x 38"	8" x 8"	42" - 48"	21 lbs.	\$414

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Tripod Bases

SPECIAL **T**

DESCRIPTION

Fabricated 14 gauge steel with threaded inserts for glides. Column is made of 3" diameter tubular steel. 3 arched feet are 1 3/8" diameter. Bolted construction.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 8" x 8" x 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 1 per box



TP30-QF-C



TP-30
shown in
Metallic Silver

OPTIONS

- FLIP TOP OPTION: see page 45 for more information. Add \$150 List
- FLIP TOP WITH CASTERS: see page 45 for more information. Add \$210 List



table shown with
TP-3060 base



PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE
TP-30	26"	8" x 8"	26"-32"	20 lbs.	\$254
TP-36	32"	8" x 8"	32"-38"	24 lbs.	\$276
TP-3060	23" x 41"	(2) 8" x 8"	30" x 60"	40 lbs.	\$509
TP-3072	23" x 47"	(2) 8" x 8"	30" x 72"	40 lbs.	\$509
TP-3660	29" x 41"	(2) 8" x 8"	36" x 60"	48 lbs.	\$530
TP-3672	29" x 47"	(2) 8" x 8"	36" x 72"	48 lbs.	\$551

Please note: this base may require longer lead time.
Call Customer Service 888-705-0777 to check availability.

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

SPECIAL 

Single Column Post Legs



PL-27-C



PL-27-2FM



PL-27-4



PL-27

OPTION

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$40 List. Specify -CUT2 and height >27.75. Add \$85 List

DESCRIPTION

Fabricated 14 gauge steel with threaded inserts for levelers or casters.

- UNIT HEIGHT: 27.75" and 40.75"
- MOUNTING PLATE: 4 x 4 x 7/32" or 6 x 6 x 7/32", welded
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts. PL-27-4 has 4" metal glide
- CASTERS: PL-27-2-C and PL-27-C come with 2" dual wheel locking caster, 112 lbs. capacity
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box. PL-27-2, and PL-27-2-C are packaged 4 per box

PART #	UNIT HEIGHT	COLUMN DIAMETER	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
PL-27-2	27.75"	2"	4" x 4"	4 lbs.	\$48
PL-27-2-C	27.75"	2"	4" x 4"	4 lbs.	\$59
PL-27-2FM	27.75"	2"	5" x 8"	7 lbs.	\$146
PL-27	27.75"	2 3/8"	6" x 6"	5 lbs.	\$72
PL-27-C	27.75"	2 3/8"	6" x 6"	5 lbs.	\$83
PL-27-3	27.75"	3"	6" x 6"	6 lbs.	\$70
PL-27-342	40.75"	3"	6" x 6"	10 lbs.	\$110
PL-27-4	27.75"	4"	6" x 6"	8 lbs.	\$95
PL-27-442	40.75"	4"	6" x 6"	12 lbs.	\$135

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

1.5" Post Legs

SPECIAL 

DESCRIPTION

Fabricated 14 gauge 1.5" diameter tubular column.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 4" x 4" x 7/32"
- BELL GLIDE: 2 3/8" diameter nylon glide in 2.5" high steel extender
- CASTERS: 3" locking skate wheel caster with Black core. 112 lbs. loading capacity
- ADJUSTABLE HEIGHT: adjustment range is from 24.75" to 34.75" in 1" increments
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 4 per box



SPYL-SC



SPYL



SPYL-AH



choose between
skate caster or bell glide



PART #	COLUMN DIAMETER	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
SPYL	1.5"	4" x 4"	4 lbs.	\$69
SPYL-SC	1.5"	4" x 4"	4 lbs.	\$89
SPYL-AH	1.5"	4" x 4"	5 lbs.	\$89

spring clip adjustable height

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Tapered Post Leg is fabricated from 14 gauge tubular steel and is welded for maximum strength and stability.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATES: 4" x 4" x 7/32"
- LEVELERS: 2 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for additional powder coat colors
- PACKAGING: bases are packaged 4 per box



TPL



PART #	UNIT HEIGHT	COLUMN DIAMETER	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
TPL	27.75"	2 3/8" Top 1 1/4" Bottom	4 x 4"	4 lbs.	\$72

Square Post Legs

SPECIAL 



SQ-RH

DESCRIPTION

Fabricated 14 gauge square steel with threaded inserts for levelers. Post mounts flush with table corner.

- UNIT HEIGHT: 27.75" and 40.75"
- WELDED CORNER MOUNTING PLATE: 5" x 5" x 7/32"
- LEVELERS: 2 3/8" diameter plastic in steel threaded inserts
- CASTERS: SQ-RH-C comes with a 2.5" dual wheel locking caster, 112 lbs. capacity
- FINISH: stock color is Black and Chrome. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 4 per box



PART #	UNIT HEIGHT	COLUMN DIAMETER	CORNER MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
SQ-RH	27.75"	2 3/8"	5" x 5"	6 lbs.	\$75
SQ-RH-C	27.75"	2 3/8"	5" x 5"	6 lbs.	\$86
SQ-RH-42	40.75"	2 3/8"	5" x 5"	9 lbs.	\$115
SQ-RH-PC	27.75"	2 3/8"	5" x 5"	6 lbs.	\$117

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Fabricated 14 gauge 2" diameter tubular steel with 45° angle support welded to 6" x 6" mounting plate for maximum strength.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 6" x 6" x 7/32" steel
- LEVELER: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box



RL

OPTION

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$40 List.

PART #	UNIT HEIGHT	COLUMN DIAMETER	CORNER MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
RL	27.75"	2"	6" x 6"	6 lbs.	\$106

Bolt Down Leg

SPECIAL **T**



BD-29

DESCRIPTION

This stylish yet heavy duty base provides form and function in bolt down applications. It is perfect for educational or hospitality settings. The base bolts to the floor with 6" diameter plate and has 3" column diameter.

- UNIT HEIGHT: 27.75", 34.75" and 40.75"
- MOUNTING PLATE: 10" x 10"
- COLUMN: 3" diameter
- FLOOR PLATE: 6" diameter with cover
- FINISH: stock color is Black. See inside of Back Cover for additional powder coat colors
- METHOD OF ASSEMBLY: bolted construction
- PACKAGING: bases are packed in 2 boxes



PART #	UNIT HEIGHT	COLUMN DIAMETER	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
BD-29	27.75"	3"	10" x 10"	13 lbs.	\$106
BD-36	34.75"	3"	10" x 10"	14 lbs.	\$146
BD-42	40.75"	3"	10" x 10"	15 lbs.	\$146

PHONE 888-705-0777
FAX 678-456-6046
ORDER ONLINE AT WWW.SPECIALT.NET

SPECIAL T

DESCRIPTION

Fabricated 14 gauge steel with steel endcaps and threaded inserts for levelers or casters.
Bolted construction.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 5" x 8" x 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box



Bolted Single Column T-Legs



TL-24



TL-24-C

TRADITIONAL

OPTIONS

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$40 List. Specify -CUT2 and height >27.75. Add \$85 List
- BAR HEIGHT: Specify -42 and add \$40 List
- COUNTER HEIGHT: Specify -36 and add \$40 List
- CASTERS: 2" dual wheel locking caster, 112 lbs. capacity are available for additional charge. Specify -C1 and add \$22 List
- ADJUSTABLE HEIGHT: see page 40 for more information. Add \$68 List
- FOLDING: see page 43 for more information. Add \$155 List
- FLIP TOP: see page 44 (Add \$155 List) and 45 (Add \$60 List) for more information


PART #	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
TL-18	2"	16"	5" x 8"	7 lbs.	\$111
TL-20	2"	18"	5" x 8"	8 lbs.	\$111
TL-22	2"	20"	5" x 8"	8 lbs.	\$113
TL-24	2"	22"	5" x 8"	8 lbs.	\$113
TL-30	2"	26"	5" x 8"	9 lbs.	\$117

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Welded Single Column T-Legs

SPECIAL 

TL-24W

DESCRIPTION

Fabricated 16 gauge steel with steel endcaps and threaded inserts for levelers. Welded construction.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 5" x 8" x 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box



PART #	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	NET WEIGHT	LIST PRICE
TL-18W	2"	16"	5" x 8"	7 lbs.	\$111
TL-24W	2"	22"	5" x 8"	8 lbs.	\$113
TL-30W	2"	26"	5" x 8"	9 lbs.	\$117

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

T-Leg with concealed EZ-Roll wheels is stationary or can be mobile when tilted. Fabricated 14 gauge 2" diameter columns with steel endcaps and EZ-Roll wheels.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 5" x 8" x 7/32"
- EZ ROLL WHEELS: 1.5" diameter built-in wheels
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box

OPTIONS

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$40 List
- FOLDING OPTION: see page 43 for more information. Add \$155 List



TL30-EZ



built-in EZ-Roll wheel



PART #	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
TL-18EZ	2"	16"	5" x 8"	18" - 22"	7 lbs.	\$139
TL-24EZ	2"	22"	5" x 8"	24" - 26"	8 lbs.	\$141
TL-30EZ	2"	26"	5" x 8"	28" - 30"	9 lbs.	\$143

Dual Column Legs

SPECIAL T


2TL-30-PL-2TL
with optional
perforated panel



2TL-30

DESCRIPTION

Fabricated 14 gauge steel with steel endcaps and threaded inserts for levelers or casters.

- UNIT HEIGHT: 27.75"
- MOUNTING PLATE: 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box

OPTIONS

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$80 List. Specify -CUT2 and height >27.75. Add \$170 List
- BAR HEIGHT: Specify -42 and add \$80 List
- COUNTER HEIGHT: Specify -36 and add \$80 List
- CASTERS: 2" dual wheel locking casters, 112 lbs. capacity. Specify -C1 and add \$22 List
- PERFORATED PANEL: decorative panel snaps between the columns. Available only for 2TL-24 and 2TL-30. Specify -PI -2TL. Add \$59 List
- ADJUSTABLE HEIGHT: see page 40 for more information. Add \$136 List.
- FOLDING OPTION: see page 43 for more information. Add \$310 List



PART #	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
2TL-24	2"	22"	5" x 11" welded	24" - 28"	11 lbs.	\$153
2TL-30	2"	26"	5" x 11" welded	30" - 36"	12 lbs.	\$155
2TL-42	2"	36"	6" x 16"	42" - 46"	15 lbs.	\$168
2TL-48	2"	42"	6" x 16"	48" - 52"	16 lbs.	\$175
2TL-60	2 3/8"	42"	(2) 6" x 6"	52" - 60"	17 lbs.	\$228

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Fabricated 14 gauge steel with steel endcaps and threaded inserts for levelers or casters.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 5" x 8" x 7/32"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box



CL-24



CL-24-C

TRADITIONAL



OPTIONS

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$40 List. Specify -CUT2 and height >27.75. Add \$85 List
- BAR HEIGHT: Specify -42 and add \$40 List
- COUNTER HEIGHT: Specify -36 and add \$40 List
- CASTERS: 2" dual wheel locking casters, 112 lbs. capacity are available for additional charge. Specify -C1 and add \$22 List
- ADJUSTABLE HEIGHT: see page 40 for more information. Add \$68 List.
- FOLDING: see page 43 for more information. Add \$155 List.

PART #	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
CL-18	2"	16"	5" x 8"	18" - 22"	7 lbs.	\$111
CL-24	2"	22"	5" x 8"	24" - 28"	8 lbs.	\$113
CL-30	2"	26"	5" x 8"	28" - 30"	9 lbs.	\$117

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Dual Column C-Legs

SPECIAL **T**

TRADITIONAL



2CL-30-PI-2TL

with optional
perforated panel



2CL-30

DESCRIPTION

Fabricated 14 gauge steel with steel endcaps and threaded inserts for levelers or casters.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 5" x 11" x 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box

OPTIONS

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$80 List. Specify -CUT2 and height >27.75. Add \$170 List
- BAR HEIGHT: Specify -42 and add \$80 List
- COUNTER HEIGHT: Specify -36 and add \$80 List
- CASTERS: 2" dual wheel locking casters, 112 lbs. capacity are available for additional charge. Specify -C1 and add \$22 List
- PERFORATED PANEL: decorative panel snaps between the columns. Specify -PI-2TL. Add \$59 List
- ADJUSTABLE HEIGHT: see page 40 for more information. Add \$136 List
- FOLDING: see page 43 for more information. Add \$310 List



PART #	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOMMENDED TOP DEPTH	NET WEIGHT	LIST PRICE
2CL-24	2"	22"	5" x 11"	24" - 28"	11 lbs.	\$153
2CL-30	2"	26"	5" x 11"	30" - 36"	12 lbs.	\$155

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Fabricated 14 gauge steel with threaded inserts for levelers or casters. Welded construction.

- UNIT HEIGHT: 27.75" or 40.75"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box

OPTION

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$80 List. Specify -CUT2 and height >27.75. Add \$170 List



HL-24

HL-2442

HL-330



PART #	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
HL-24	27.75"	2"	16.5"	(2) 6" x 6"	24" - 28"	12 lbs.	\$111
HL-24-C with Caster	27.75"	2"	16.5"	(2) 6" x 6"	24" - 28"	11 lbs.	\$133
HL-2436 Counter Height	34.75"	2"	16.5"	(2) 6" x 6"	24" - 28"	13 lbs.	\$151
HL-2442 Bar Height	40.75"	2"	16.5"	(2) 6" x 6"	24" - 28"	14 lbs.	\$151
HL-30	27.75"	2"	22.5"	(2) 6" x 6"	30" - 40"	13 lbs.	\$125
HL-30-C with Caster	27.75"	2"	22.5"	(2) 6" x 6"	30" - 40"	12 lbs.	\$147
HL-3036 Counter Height	34.75"	2"	22.5"	(2) 6" x 6"	30" - 40"	14 lbs.	\$165
HL-3042 Bar Height	40.75"	2"	22.5"	(2) 6" x 6"	30" - 40"	16 lbs.	\$165
HL-330	27.75"	3"	23.5"	(2) 6" x 6"	30" - 40"	16 lbs.	\$146
HL-342	27.75"	3"	30"	(2) 6" x 6"	42" - 48"	18 lbs.	\$170

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Single Column X-Bases

SPECIAL 


XL-36-PC

DESCRIPTION

Fabricated 14 gauge steel column and 14 gauge feet with threaded inserts for levelers or casters. Bolted construction.

- UNIT HEIGHT: 27.75"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black and Chrome (Specify -PC and add \$103)
- PACKAGING: bases are packaged in 2 boxes

OPTIONS

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$40 List.
Specify -CUT2 and height >27.75. Add \$85 List
- BAR HEIGHT: Specify -42 and add \$40 List
- CASTERS: 2" dual wheel locking casters, 112 lbs. capacity are available for additional charge. Specify -C1 and add \$44 List
- SELF LEVELING GLIDES: see page 53 for more information. Add \$51 List
- FLIP TOP: see page 45 for more information. Add \$138 List



XL-36



PART #	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE
--------	--------------------	----------------	------------------------	--------------------	---------------	---------------

Powder Coat Finish

XL-24	3"	20" x 20"	10" x 10"	20" - 24" Rd. 20" - 22" Sq.	15 lbs.	\$170
XL-30	3"	26" x 26"	10" x 10"	26" - 36" Rd. 26" - 30" Sq.	17 lbs.	\$175
XL-36	3"	32" x 32"	10" x 10"	32" - 42" Rd. 32" - 36" Sq.	19 lbs.	\$180
XL-42	3"	36" x 36"	10" x 10"	36" - 48" Rd. 36" - 42" Sq.	21 lbs.	\$186
XL-48	3"	42" x 42"	10" x 10"	42" - 52" Rd. 42" - 48" Sq.	23 lbs.	\$191
XL-2436	3"	22" x 33"	10" x 10"	24" x 36"	18 lbs.	\$180

Polished Chrome Finish

XL-24PC	3"	20" x 20"	10" x 10"	20" - 24" Rd. 20" - 22" Sq.	15 lbs.	\$273
XL-30PC	3"	26" x 26"	10" x 10"	26" - 36" Rd. 26" - 30" Sq.	17 lbs.	\$278
XL-36PC	3"	32" x 32"	10" x 10"	32" - 42" Rd. 32" - 36" Sq.	19 lbs.	\$283
XL-42PC	3"	36" x 36"	10" x 10"	36" - 48" Rd. 36" - 42" Sq.	21 lbs.	\$288
XL-48PC	3"	42" x 42"	10" x 10"	42" - 52" Rd. 42" - 48" Sq.	23 lbs.	\$293

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Fabricated 11 gauge steel columns and 14 gauge feet with threaded inserts for levelers or casters. Bolted construction.

- UNIT HEIGHT: 27.75"
- MOUNTING PLATE: 8" x 8" x 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: 2XL bases are packaged in 2 boxes; 3XL and 4XL bases are packaged in 3 and 4 boxes

OPTION

- CASTERS: 2" dual wheel locking casters, 112 lbs. capacity are available for additional charge. Specify -C1 and add \$66 List



3X-4896



2XL-3672



PART #	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE
--------	--------------------	----------------	------------------------	--------------------	---------------	---------------

Dual Column X-Bases

2XL-2460	3"	53" x 20"	8" x 8"	24" x 60"	31 lbs.	\$360
2XL-2466	3"	59" x 20"	8" x 8"	24" x 66"	32 lbs.	\$360
2XL-2472	3"	62" x 20"	8" x 8"	24" x 72"	33 lbs.	\$360
2XL-3060	3"	53" x 26"	8" x 8"	30" x 60"	37 lbs.	\$360
2XL-3066	3"	59" x 26"	8" x 8"	30" x 66"	34 lbs.	\$360
2XL-3072	3"	62" x 26"	8" x 8"	30" x 72"	35 lbs.	\$360
2XL-3672	3"	68" x 32"	8" x 8"	36" x 72"	38 lbs.	\$360
2XL-3684	3"	78" x 32"	8" x 8"	36" x 84"	40 lbs.	\$360
2XL-4284	3"	78" x 36"	8" x 8"	42" x 84"	42 lbs.	\$360

Triple Column X-Bases

3XL-4296	3"	90" x 36"	8" x 8"	42" x 96"	57 lbs.	\$562
3XL-42108	3"	102" x 36"	8" x 8"	42" x 108"	54 lbs.	\$576
3XL-4896	3"	90" x 42"	8" x 8"	48" x 96"	60 lbs.	\$591
3XL-48108	3"	102" x 42"	8" x 8"	48" x 108"	62 lbs.	\$594
3XL-48120	3"	114" x 42"	8" x 8"	48" x 120"	65 lbs.	\$610

Quadruple Column X-Base

4XL-48114	3"	131" x 42"	8" x 8"	48" x 144"	81 lbs.	\$784
-----------	----	------------	---------	------------	---------	-------

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

4 and 5 Column X-Bases

SPECIAL **T**



4XL-38

5XL-48



DESCRIPTION

Fabricated 14 gauge steel with steel endcaps and threaded inserts for levelers or casters. Bolted construction. 4XL-38 with 4 columns, 5XL-48 with 5 columns.

- UNIT HEIGHT: 27.75"
- MOUNTING PLATE: 5 plates 10" x 10", 4 plates 4" x 4"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 1 per box

OPTIONS

- BAR HEIGHT: Specify -42 and add \$125 List
- CASTERS: 2" dual wheel locking casters, 112 lbs. capacity are available for additional charge. Specify -C1 and add \$44 List
- SELF LEVELING GLIDES: see page 53 for more information. Specify -SLG1 and add \$51 List

PART #	UNIT HEIGHT	COLUMN DIAMETER	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP SIZE	LIST PRICE
4 columns						
4XL-38	27.75"	2"	38"	4" x 4"	42" - 60" Sq.	\$348
					42" - 60" Rd.	
5 columns						
5XL-48	27.75"	2"	48"	10" x 10"	60" - 72" Sq.	\$378
					60" - 84" Rd.	

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Fabricated 14 gauge 4" diameter tubular steel with threaded inserts. Bases with 22" and 26" floorplates are reinforced by a solid 3/8" thick steel.

- UNIT HEIGHT: 27.75" or 40.75"
- WELDED MOUNTING PLATE: 8" x 8" x 7/32" steel
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: base is packaged in 2 boxes



C426PLP-N

C4-42-26PLP-FR

OPTIONS

- CUSTOM HEIGHT: Specify -CUT1 and height <27.75. Add \$40 List. Specify -CUT2 and height >27.75. Add \$85 List
- FOOT RING: 19.5" foot ring is available for bar height. Specify -FR
- SELF LEVELING GLIDES: see page 53 for more information. Specify -SLG2 and add \$51 List



PART #	UNIT HEIGHT	PLATE DIAMETER	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE
C4-18PLP	27.75"	18"	24" - 30"	23 lbs.	\$244
C442-18PLP	40.75"	18"	24" - 30"	26 lbs.	\$284
C4-22PLP-N	27.75"	22"	30" - 36"	39 lbs.	\$371
C442-22PLP-N	40.75"	22"	30" - 36"	42 lbs.	\$411
C4-26PLP-N	27.75"	26"	36" - 48"	65 lbs.	\$464
C442-26PLP-N	40.75"	26"	36" - 48"	68 lbs.	\$504
FOOTRING-4		19.5"		8 lbs.	\$62

Spring Clip Height Adjustable Bases


SPECIAL **T**



TL-18AH



CL-18AH



SPYL-AH



1ATL-24AH

DESCRIPTION

Bolted construction 14 gauge tubular steel. Adjusts in 1" increments by depressing spring clip pin to release the outer column for height adjustment. Pin snaps back into a locking position when realigned with the outer column holes. Thumb screw locks column in position.

- ADJUSTMENT RANGE: 24.75" to 34.75"
- COLUMN DIAMETER: 2" outer column
- WELDED MOUNTING PLATE: 7/32" steel
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box. SPYL-AH are packaged 4 per box

OPTION

- CASTERS: the height of the base will increase by 2". See page 53 for caster options. Specify -C1 for CL-AH, TL-AH, 2CL-AH and 2TL-AH bases and add \$22 List. Specify -SC1 for SPYL-AH (add \$20 list) and 1ATL-AH (add \$40 List)

PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE	PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
SPYL-AH	1.5"	4" x 4"	-	6 lbs.	\$89	1ATL-18AH	16"	5" x 8"	18" - 22"	9 lbs.	\$173
CL-18AH	16"	5" x 8"	18" - 22"	9 lbs.	\$179	1ATL-24AH	22"	5" x 8"	24" - 28"	10 lbs.	\$175
CL-24AH	22"	5" x 8"	24" - 28"	10 lbs.	\$181	1ATL-30AH	26"	5" x 8"	28" - 30"	11 lbs.	\$177
CL-30AH	26"	5" x 8"	28" - 30"	11 lbs.	\$185	2CL-24AH	22"	(2) 5" x 8"	24" - 28"	18 lbs.	\$289
TL-18AH	16"	5" x 8"	18" - 20"	9 lbs.	\$179	2CL-30AH	26"	(2) 5" x 8"	30" - 36"	19 lbs.	\$291
TL-20AH	18"	5" x 8"	20" - 22"	9 lbs.	\$179	2TL-24AH	22"	(2) 5" x 8"	24" - 28"	18 lbs.	\$289
TL-22AH	20"	5" x 8"	22" - 24"	10 lbs.	\$181	2TL-30AH	26"	(2) 5" x 8"	30" - 36"	19 lbs.	\$291
TL-24AH	22"	5" x 8"	24" - 28"	10 lbs.	\$181	2TL-42AH	36"	(2) 5" x 8"	42" - 46"	20 lbs.	\$304
TL-30AH	26"	5" x 8"	28" - 30"	11 lbs.	\$185	2TL-48AH	48"	(2) 5" x 8"	48" - 52"	21 lbs.	\$311

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

The ValuLift brings high-end design and performance into the realm of affordability. Some of the key features are no stretcher bar between the legs for leg placement flexibility to accommodate a variety of shapes and sizes.

- HEIGHT RANGE is 25" – 49.75"
- MIN/MAX top width is 30" - 72"
- MIN/MAX top depth: 22" - 30"
- MAX LIFTING SPEED: 1.6"/sec
- MAX BASE LOAD: 220 lbs.
- METAL FINISH: black, white or silver
- SET INCLUDES 2 bases, control box, cables and control buttons
- 5 YEARS parts and labors warranty

ELECTRICAL INFORMATION

- RATED VOLTAGE: DC 100~240V
- MAX OUTPUT: 29V DC, 10.0A
- STANDBY: <1w
- RATED POWER: 120w
- MOTOR NOISE: <58dB
- OR: Max 2 min ON
- OR: Min 18 min OFF
- OVERLOAD PROTECTION: >265 lbs.
- FUNCTIONS: Soft-Start-Stop

OPTIONS

- Programmable controller with 3 pre-sets. Add \$100 List
- Third column and control box. Add \$550 List



PART #	BASE TYPE	RECOM. TOP SIZE	BASE SPREAD	NET WEIGHT	LIST PRICE
Black					
ValuLift-24-BL-TL	T-Leg	22" - 24"D x 30" - 72"W	22" x 26" - 68"	70 lbs.	\$1,248
ValuLift-30-BL-TL	T-Leg	30"W x 30" - 72"W	26" x 26" - 68"	73 lbs.	\$1,248
ValuLift-24-BL-CL	C-Leg	22" - 24"D x 30" - 72"W	22" x 26" - 68"	70 lbs.	\$1,248
ValuLift-30-BL-CL	C-Leg	30"W x 30" - 72"W	26" x 26" - 68"	73 lbs.	\$1,248
Silver					
ValuLift-24-SIL-TL	T-Leg	22" - 24"D x 30" - 72"W	22" x 26" - 68"	70 lbs.	\$1,248
ValuLift-30-SIL-TL	T-Leg	30"W x 30" - 72"W	26" x 26" - 68"	73 lbs.	\$1,248
ValuLift-24-SIL-CL	C-Leg	22" - 24"D x 30" - 72"W	22" x 26" - 68"	70 lbs.	\$1,248
ValuLift-30-SIL-CL	C-Leg	30"W x 30" - 72"W	26" x 26" - 68"	73 lbs.	\$1,248
White					
ValuLift-24-W-TL	T-Leg	22" - 24"D x 30" - 72"W	22" x 26" - 68"	70 lbs.	\$1,248
ValuLift-30-W-TL	T-Leg	30"W x 30" - 72"W	26" x 26" - 68"	73 lbs.	\$1,248
ValuLift-24-W-CL	C-Leg	22" - 24"D x 30" - 72"W	22" x 26" - 68"	70 lbs.	\$1,248
ValuLift-30-W-CL	C-Leg	30"W x 30" - 72"W	26" x 26" - 68"	73 lbs.	\$1,248

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Matching Fixed Height Base

SPECIAL **T**



LGCL-24



LGTL-24

DESCRIPTION

Designed to match the look of our height adjustable bases, Fixed Height base features elegant foot design and is suitable for either modern or traditional interior style.

- UNIT HEIGHT: 27.75"
- WELDED MOUNTING PLATE: 5" x 8"
- COLUMN SIZE: 2-3/4" x 2-3/4"
- LEVELERS: 2-3/8" diameter plastic
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGED 2 per box

OPTION

- BAR HEIGHT: Specify -42 and add \$40



PART #	BASE TYPE	BASE SPREAD	NET WEIGHT	LIST PRICE
LGTL-24	T-Leg	22"	17 lbs.	\$163
LGTL-30	T-Leg	26"	18 lbs.	\$170
LGCL-24	C-Leg	22"	17 lbs.	\$163
LGCL-30	C-Leg	26"	18 lbs.	\$170

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Molded folding mechanism is operated by lever which can be pushed up by hand or foot making a positive connection in both open and closed positions. Folding Mechanism allows legs to lay flat when table is 60" or longer. To fold smaller table, rising brackets must be used.

- UNIT HEIGHT: 27.75"
- COLUMN DIAMETER: 2"
- MECHANISM DIMENSION: 9" x 8" x 3"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box

OPTIONS

- CASTERS: 2" dual wheel locking caster, 112 lbs. capacity or 3" locking skate casters, each 112 lbs. capacity depending on leg style. Specify -C1 and add \$22 List; for 1ATL-GFM specify -SC1 and add \$40 List
- RISING BRACKET: is available for folding tables less than 60" long for additional charge. Specify -RISER



1ATL-24GFM

TL30-GFM



PART #	LEG STYLE	BASE SPREAD	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE	PART #	LEG STYLE	BASE SPREAD	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
CL-18GFM	C-Leg	16"	18" - 22"	8 lbs.	\$266	2CL-24GFM	Dual C-Leg	22"	24"-28"	17 lbs.	\$463
CL-24GFM	C-Leg	22"	24" - 28"	9 lbs.	\$268	2CL-30GFM	Dual C-Leg	26"	30" -36"	18 lbs.	\$465
CL-30GFM	C-Leg	26"	28" -30"	10 lbs.	\$272	2TL-24GFM	Dual T-Leg	22"	24"-28"	17 lbs.	\$463
TL-18GFM	T-Leg	16"	18" - 20"	8 lbs.	\$266	2TL-30GFM	Dual T-Leg	26"	30" -36"	18 lbs.	\$465
TL-20GFM	T-Leg	18"	20" - 22"	8 lbs.	\$266	2TL-42GFM	Dual T-Leg	36"	42" -46"	19 lbs.	\$478
TL-22GFM	T-Leg	20"	22" - 24"	9 lbs.	\$268	2TL-48GFM	Dual T-Leg	42"	48" - 52"	20 lbs.	\$485
TL-24GFM	T-Leg	22"	24" - 28"	9 lbs.	\$268	PL-27-2FM	Post Leg	2" dia.	-	10 lbs.	\$146
TL-30GFM	T-Leg	26"	28" - 30"	10 lbs.	\$272	TL18EZ-GFM	EZ-Roll T-Leg	16"	18" - 22"	13 lbs.	\$294
1ATL-18GFM	Arched T-Leg	16"	18" - 20"	9 lbs.	\$260	TL24EZ-GFM	EZ-Roll T-Leg	22"	24" - 28"	14 lbs.	\$296
1ATL-24GFM	Arched T-Leg	22"	24" - 28"	10 lbs.	\$262	TL30EZ-GFM	EZ-Roll T-Leg	26"	30" - 36"	13 lbs.	\$298
1ATL-30GFM	Arched T-Leg	26"	28" -30"	11 lbs.	\$264	RISER					\$35

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Flip Top Legs

SPECIAL **T**



TL-GFM

DESCRIPTION

Molded flip top mechanism is operated by lever which makes a positive connection at both open and closed positions. It allows the top to be in vertical/parallel position with the column.

- UNIT HEIGHT: 27.75"
- COLUMN DIAMETER: 2"
- MECHANISM DIMENSION: 9" x 8" x 3"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box

OPTION

- CASTERS: 2" dual wheel locking caster, 112 lbs. capacity. Specify -C1 and add \$22 List

PART #	BASE SPREAD	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE
TL-18GFTM	16"	18" - 20"	10 lbs.	\$266
TL-20GFTM	18"	20" - 22"	10 lbs.	\$266
TL-22GFTM	20"	22" - 24"	11 lbs.	\$268
TL-24GFTM	22"	24" - 28"	11 lbs.	\$268
TL-30GFTM	26"	28" - 30"	11 lbs.	\$272



PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

“Quick-Flip” mechanism flips the top by pulling on the release handle. Top locks automatically when returned in horizontal position.

- UNIT HEIGHT: 27.75"
- LEVELERS: 1 3/8" diameter plastic in steel threaded inserts
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 2 per box



TL-24QF



1AXL-30QF



XL-30QF



TP-36QF-SC

OPTION

- CASTERS: locking caster, 112 lbs. capacity. Specify -C for Arched Bases. Specify -C1 for XL-QF and add \$44 List. Specify -SC1 for 1AXL-QF and TP-QF bases and add \$60 list; Specify -C1 for TL-QF bases and add \$22 List

PART #	BASE TYPE	RECOM. SPREAD	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE	PART #	LEG STYLE	BASE SPREAD	RECOM. TOP DEPTH	NET WEIGHT	LIST PRICE
1AXL-30QF	Arched X-Base	26"	26" - 30"	25 lbs.	\$341	TL-18QF	T-Leg	16"	18" - 20"	10 lbs.	\$171
1AXL-36QF	Arched X-Base	32"	32" - 36"	29 lbs.	\$351	TL-20QF	T-Leg	18"	20" - 22"	10 lbs.	\$171
XL-24QF	X-Base	20"	20" - 24"	20 lbs.	\$308	TL-22QF	T-Leg	20"	22" - 24"	11 lbs.	\$173
XL-30QF	X-Base	26"	26" - 30"	25 lbs.	\$313	TL-24QF	T-Leg	22"	24" - 28"	11 lbs.	\$173
XL-36QF	X-Base	32"	32" - 36"	29 lbs.	\$318	TL-30QF	T-Leg	26"	28" - 30"	11 lbs.	\$177
XL-42QF	X-Base	36"	36" - 48"	26 lbs.	\$323						
TP-30QF	Tripod Base	26"	26" - 32"	24 lbs.	\$404						
TP-36QF	Tripod Base	32"	32" - 36"	28 lbs.	\$426						

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

SlimFlip™ Base

SPECIAL 



shown with TLSF-2460



Release Mechanism



Nested Tables
with Arched T-Leg



Nested Tables
with T-Leg

DESCRIPTION

Includes a set of two legs, a heavy tubular steel beam, single point release dual lock mechanism and 2 hinges. Beam prevents table from sagging. Save space by nesting tables!

- UNIT HEIGHT: 27.75"
- MOUNTING PLATES: 5" x 8" x 7/32"
- CASTERS: standard 2" locking casters are included with T-legs. Arched T-legs come standard with 2.5" locking skate wheel caster with gray ribbed core. 112 lbs. loading capacity
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are packaged 1 set (2 legs) in one box and beam in separate box

PART #	LEG STYLE	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE
TLSF-1848-C	T-Leg	16" x 43"	5" x 8"	18" x 48"	25 lbs.	\$656
TLSF-1860-C	T-Leg	16" x 55"	5" x 8"	18" x 60"	25 lbs.	\$668
TLSF-1872-C	T-Leg	16" x 67"	5" x 8"	18" x 72"	29 lbs.	\$679
TLSF-2448-C	T-Leg	22" x 43"	5" x 8"	24" x 48"	26 lbs.	\$656
ATLSF-2448-S	Arched TL	22" x 43"	5" x 8"	24" x 48"	25 lbs.	\$731
TLSF-2460-C	T-Leg	22" x 55"	5" x 8"	24" x 60"	29 lbs.	\$668
ATLSF-2460-S	Arched T-Leg	22" x 55"	5" x 8"	24" x 60"	27 lbs.	\$743
TLSF-2472-C	T-Leg	22" x 67"	5" x 8"	24" x 72"	31 lbs.	\$679
ATLSF-2472-S	Arched T-Leg	22" x 67"	5" x 8"	24" x 72"	29 lbs.	\$754
TLSF-3048-C	T-Leg	26" x 43"	5" x 8"	30" x 48"	28 lbs.	\$656
ATLSF-3048-S	Arched T-Leg	26" x 43"	5" x 8"	30" x 48"	25 lbs.	\$731
TLSF-3060-C	T-Leg	26" x 55"	5" x 8"	30" x 60"	31 lbs.	\$668
ATLSF-3060-S	Arched T-Leg	26" x 55"	5" x 8"	30" x 60"	27 lbs.	\$743
TLSF-3072-C	T-Leg	26" x 67"	5" x 8"	30" x 72"	33 lbs.	\$679
ATLSF-3072-S	Arched T-Leg	26" x 67"	5" x 8"	30" x 72"	29 lbs.	\$754

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Our sleekly designed Convertible Base™ is constructed with space efficiency in mind. Its unique structure allows straight-on nesting in the flipped position. Each table takes up only 4.5" of space. The base includes locking skate casters for easy mobility. Heavy duty beam prevents top from sagging.

- STRUCTURE: 14 gauge 1.5" diameter tubular columns bent and welded together at 190° angle. Two end bases are connected with a heavy duty beam with two hinges and one single point flip top mechanism in the center
- UNIT HEIGHT: 27.75"
- CASTERS: standard black 2.5" locking skate wheel caster with gray ribbed core each with 112 lbs. loading capacity
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: bases are sold and packaged 1 set (2 legs) in one box and beam in another box



FLIP AND NEST



PART #	BASE SPREAD	MOUNTING PLATE SIZE	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE
CV-1848-S	18" x 43"	5" x 8"	18" x 48"	29 lbs.	\$688
CV-1860-S	18" x 55"	5" x 8"	18" x 60"	31 lbs.	\$700
CV-1872-S	18" x 67"	5" x 8"	18" x 72"	34 lbs.	\$711
CV-2448-S	23.5" x 43"	5" x 8"	24" x 48"	32 lbs.	\$700
CV-2460-S	23.5" x 55"	5" x 8"	24" x 60"	35 lbs.	\$711
CV-2472-S	23.5" x 67"	5" x 8"	24" x 72"	37 lbs.	\$724
CV-3048-S	27.5" x 43"	5" x 8"	30" x 48"	32 lbs.	\$718
CV-3060-S	27.5" x 55"	5" x 8"	30" x 60"	35 lbs.	\$729
CV-3072-S	27.5" x 67"	5" x 8"	30" x 72"	37 lbs.	\$741

Transform-2™ Base

SPECIAL 

POSTS



DESCRIPTION

Transform-2™ Base is a versatile contemporary base with straight on nesting option in flip top applications. Its light weight materials, casters and one-handed activation allows anyone to flip and move tables with ease. Perforated steel modesty panel is an integral part of the base providing privacy and elegant look at the same time. Continuous heavy duty beam prevents top from sagging.

- **STRUCTURE:** 14 gauge 1.5" diameter tubular legs are connected by modesty panel and stretcher with flip top mechanism. Modesty panel attaches to legs and extends 14" below the table top
- **UNIT HEIGHT:** 27.75"
- **CASTERS:** locking dual wheel black 2.5" with silver cap; 112 lbs. loading capacity
- **FINISH:** stock color is Metallic Silver or Black
- **PACKAGING:** each base is packaged in 2 boxes



PART #	BASE SPREAD	RECOM. TOP SIZE	NET WEIGHT	LIST PRICE
Silver				
TF2-2448	19" x 47"	24" x 48"	35 lbs.	\$419
TF2-2460	19" x 59"	24" x 60"	39 lbs.	\$449
TF2-2472	19" x 71"	24" x 72"	43 lbs.	\$489
Black				
TF2-2448-B	19" x 47"	24" x 48"	35 lbs.	\$419
TF2-2460-B	19" x 59"	24" x 60"	39 lbs.	\$449
TF2-2472-B	19" x 71"	24" x 72"	43 lbs.	\$489

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Fabricated 14 gauge steel with threaded inserts.

- ATTACHMENT: post is attached by a bolt running through the desktop
- MOUNTING PLATE: 5" x 8" x 7/32" steel
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: risers are packaged 2 per box



3SP-11




2SP-20

PART #	UNIT HEIGHT	COLUMN DIAMETER	NET WEIGHT	LIST PRICE
2SP-11	11"	2"	5 lbs.	\$95
2SP-20	20"	2"	6 lbs.	\$104
3SP-11	11"	2"	6 lbs.	\$125
3SP-20	20"	2"	7 lbs.	\$136



Perforated Steel Modesty Panels

SPECIAL **T**



DESCRIPTION

Fabricated 18 gauge steel with perforated front.

- PERFORATION PATTERN: 3/16" dia. holes spaced 1 3/4" apart. Cable cutout is 1 1/4" x 3". The 3" x 3" wire channel runs through the bottom of the modesty panel
- ATTACHMENT: modesty panel attaches to the top with screws
- FINISH: stock color is Black. See inside of Back Cover for optional colors
- PACKAGING: packaged 2 per box

PART #	LENGTH	HEIGHT	RECOM. TOP LENGTH	NUMBER OF CABLE CUTOUTS	CABLE CUTOUT POSITION	NET WEIGHT	LIST PRICE
MP-1030	30"	10"	30"	1	center	10 lbs.	\$119
MP-1042SF	42"	10"	42"	1	center	13 lbs.	\$155
MP-1048SF	48"	10"	48"	1	center	14 lbs.	\$180
MP-1054SF	54"	10"	54"	1	center	15 lbs.	\$207
MP-1060SF	60"	10"	60"	2	12" from each end	16 lbs.	\$217
MP-1066SF	66"	10"	66"	2	12" from each end	20 lbs.	\$242
MP-1072SF	72"	10"	72"	2	12" from each end	22 lbs.	\$266
MP-1084SF	84"	10"	84"	3	(1) in center (2) 12" from each end	25 lbs.	\$306
MP-1096SF	96"	10"	96"	3	(1) in center (2) 12" from each end	30 lbs.	\$332

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

SPECIAL **T**

Laminate Modesty Panels

DESCRIPTION

Laminate modesty panels are 3/4" thick, 10" high and 1/4" shorter than the top length.

- COLORS: any standard Wilsonart laminate on both sides
- EDGE: 3 mm PVC edge



ACCESSORIES

PART #	LENGTH	RECOM. TOP LENGTH	NET WEIGHT	LIST PRICE
MPL-1042	41.75"	42"	8 lbs.	\$124
MPL-1048	47.75"	48"	9 lbs.	\$130
MPL-1054	53.75"	54"	10 lbs.	\$143
MPL-1060	59.75"	60"	11 lbs.	\$148
MPL-1066	65.75"	66"	12 lbs.	\$155
MPL-1072	71.75"	72"	13 lbs.	\$167
MPL-1084	83.75"	84"	16 lbs.	\$205
MPL-1096	95.75"	96"	18 lbs.	\$223

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

Accessories

SPECIAL 

TABLE LEG WIRE MANAGER



A half-moon shape channel with adhesive double-sided tape. Features co-extruded invisible hinge that opens to accept wires. Serrated finish. Inside space is 7/16" by 1 3/32". Stock color is Black. Available in 24" lengths.

SPECIFY	LIST PRICE
WM-24	\$39

LARGE J-SHAPE WIRE MANAGER (JWM)



J-shape wire management channel with adhesive double-sided tape to be fastened under a desk/work surface to keep cables up and out of the way. Available in 4, 5, and 6 ft. lengths. Size: 4 5/16" overall flange, 1 3/32" deep. Trough is 2 9/16" high. Stock color is Black.

SPECIFY	LIST PRICE
JWM-4	\$69
JWM-5	\$87
JWM-6	\$106


STEEL TOP SUPPORT



10 gauge channel. Screws are included. Surface mount or flush mount for folding tables. Available 42"L or 54"L.

SPECIFY	LIST PRICE
STS-42	\$46
STS-54	\$51

QUICK ALIGN TABLE CONNECTOR




connected disconnected

Connect two or more tables and add flexibility to any space. 6 1/4" x 2 1/2" steel plate, 2 plastic knobs.

SPECIFY	LIST PRICE
QA	\$48

QUICK RELEASE TABLE CONNECTOR



connected disconnected

12" x 4", 4 knobs per connector. Just loosen the hand knobs, slide tables together and hand tighten knobs.

SPECIFY	LIST PRICE
QRTC-1	\$53

STANDARD CASTER



2" locking dual wheel hooded
caster; nylon 25 mm x 8 mm
stem, 112 lbs. capacity.

LOCKING SKATE WHEEL CASTER



3" in-line skate wheel caster with
gray ribbed core. 25 mm x 8 mm
stem, 112 lbs. capacity.

HARD SURFACE CASTER




2" locking dual wheel hooded
caster with polyurethane soft
tread for use on hard surface.
25 mm x 8 mm stem, 112 lbs.
capacity.

SPECIFY	LIST PRICE
C -1	\$12

SPECIFY	LIST PRICE
SC -1	\$21

SPECIFY	LIST PRICE
HSC -1	\$16

ADJUSTABLE LEVELING GLIDE



Metric thread; can be used on most
Special-T table bases, 1 3/8" diameter
nylon cap; 2" long.

SPECIFY	LIST PRICE
ALG -1	\$2

SELF LEVELING GLIDE



Automatically stabilizes table. Easy to install. Requires
no adjustment. Automatically adjusts 5/16" on any
uneven surface 1 3/8" diameter nylon cap.
SLG-1 with 1/25-20 stem for cast iron bases only
SLG-2 self-adhesive for PLP-floor plates only
SLG-M8 with 8mm stem

SPECIFY	LIST PRICE
SLG -1	\$14
SLG -2	\$14
SLG -M8	\$14

Table Cart

SPECIAL **T**



DESCRIPTION

Simplify your folding table transportation and storage. Stak, store and transport up to 5 folding tables on a durable storage cart that maneuvers easily on swivel caster wheels.

- MATERIAL: Frame is 1 ½" diameter 14 gauge steel; cross rails are 1 ½" diameter; 11 gauge steel
- CASTERS: 4 black 5" diameter locking casters
- FINISH: black wrinkle
- PACKAGING: table carts are shipped knocked down and packaged 1 per box

PART #	DIMENSIONS	CAPACITIES 4-5 STANDART TABLES PER CART	NET WEIGHT	LIST PRICE
TBC-60	65"L x 32"D x 46"H	42"-60" Round Tables 36"-60" Square Tables 36"-60"L up to 48"W Rectangular Tables	40 lbs.	\$775
TBC-72	77"L x 32"D x 35"H	24"-36" Round Tables 24"-36" Square Tables 24"-72"L up to 36"W Rectangular Tables	45 lbs.	\$835
TBC-84	89"L x 32"D x 35"H	32"-42" Round Tables 28"-36" Square Tables 28"-84"L up to 36"W Rectangular Tables	50 lbs.	\$894

PHONE 888-705-0777


FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET

DESCRIPTION

Durable thermofused table tops for offices and restaurants with several color choices and black T-mold edge.

- STRUCTURE: 1 - 1/8" thick with black T-mold edge
- LAMINATE: high impact 45# core in 4 low pressure laminates: Cherry, Mahogany, Espresso and Gray
- PACKAGING: tops are packed individually



PART #	SIZE	NET WEIGHT	LIST PRICE	PART #	SIZE	NET WEIGHT	LIST PRICE	PART #	SIZE	NET WEIGHT	LIST PRICE
Rectangular				Round				Square			
01RT-2448	24" x 48"	30 lbs.	\$190	01RD-30	30"	21 lbs.	\$203	01SQ-30	30" x 30"	29 lbs.	\$212
01RT-2460	24" x 60"	38 lbs.	\$233	01RD-36	36"	33 lbs.	\$228	01SQ-36	36" x 36"	39 lbs.	\$228
01RT-2472	24" x 72"	48 lbs.	\$262	01RD42	42"	37 lbs.	\$236	01SQ42	42" x 42"	49 lbs.	\$236

Important Information

SPECIAL T**CONVENIENT PAYMENT OPTIONS:**

FAXED CHECK, VISA, MASTERCARD,
AMERICAN EXPRESS, DISCOVER

SPECIAL-T is an ISO 9000/9001 certified manufacturer. Our products meet or exceed all relevant ANSI/BIFMA standards. We are committed to the highest degree of quality and craftsmanship. Our Quality Management System is designed to guarantee the highest price-quality ratio.

TERMS:

Upon credit approval, terms are net 30 days from date of invoice. Prior to approved credit, payment must be received before shipping. We accept Visa, MasterCard, Discover and American Express. When you provide a faxed or mailed check, you authorize us either to use information from your check to make a one-time electronic funds transfer from your account or to process this transaction as a check. 50% deposit required on all custom orders. COD payment method is not accepted.

LEAD-TIMES:

Standard lead-time for all available stock products in standard finish is 24 hrs. after order is confirmed. When a custom finish is requested, lead-time is approximately 10 business days. Complete tables ship in 5 - 20 business days. Please contact the Special-T Customer Service Department at (888) 705-0777 to check availability.

ACKNOWLEDGMENT OF ORDERS:

All orders are entered, manufactured, and shipped according to the acknowledgment. Notify Special-T immediately of any discrepancy.

PRICES:

All prices are subject to change without notice.

RETURN POLICY:

The return of any merchandise to the Special-T warehouse must be authorized prior to shipment. Please contact our Customer Service Department at (888) 705-0777 to obtain Return Authorization.

The Return Authorization Form must accompany all returns. If received in new condition and original packaging a 25% restocking charge will apply.

CANCELLATION POLICY:

Custom orders are not subject to cancellation.

SHIPMENT INFORMATION:

Orders will be shipped via UPS or common LTL carrier, whichever is least expensive. Orders may be shipped collect on an alternative LTL carrier as designated. Special shipping arrangements and International shipping arrangements will be made as necessary and should be noted on the original Purchase Order. All orders are shipped FOB our warehouse. We do not ship COD. The buyer accepts legal responsibility for the merchandise when shipped. Upon receipt, please inspect shipment carefully for both visible and possible concealed damage. If package is lost or damage is discovered, the responsible receiving party should note this with the carrier and a claim should be filed immediately.

WARRANTY:

All bases manufactured by Special-T are guaranteed to be free of defects due to workmanship for a period of ten (10) years from the date of purchase.

Electric Height Adjustable table bases are warranted to the original purchase for a period of 5 years from the date of delivery, under normal use, against manufacturing defects.

We will repair or replace, at our option, any product that we determine to be defective as a result of faulty material or workmanship. In no event shall our liability under this warranty exceed the original purchase price of the product determined to be defective. This warranty does not apply where product has been abused, mishandled, or subjected to use other than that for which it was designed. For purposes of this warranty, normal wear to the product finish shall not be considered a defect. There are no other warranties expressed or implied.

PHONE 888-705-0777

FAX 678-456-6046

ORDER ONLINE AT WWW.SPECIALT.NET



POWDER COAT:

					
GLOSSY WHITE	BEIGE	LIGHT TONE	SAND	INNERTONE LIGHT	TAUPE
					
TAN	MEDIUM TONE	BROWNSTONE	PLATINUM	SMOKE	GRAPHITE
					
BLACK WRINKLE	BLACK (STOCK COLOR)				

POWDER COAT METALLIC:

				
METALLIC SILVER	STEEL SILVER	GUN METAL	METALLIC SAND	METALLIC CHAMPAGNE

NON-POWDER COAT:

	
POLISHED CHROME*	STAINLESS STEEL*

*Metal finishes vary by base style. Additional charges apply. Refer to options for color availability
Images are representative of the material to be supplied and may not indicate an exact match; some variation may occur



Special-T
11820 Wills Road, Suite 140
Alpharetta, GA 30009
www.SpecialT.net
Printed in USA 2014

P: 888-705-0777
P: 678-879-0777
F: 78-456-6046

